

PRODUCT DATA DRAWING





MATERIAL:

BODY & CONTACT:	BERYLLIUM COPPER
FERRULE:	BRASS
INSULATOR:	PTFE

FINISH:

BODY, CONTACT	
& FERRULE:	GOLD OVER NICKEL

PERFORMANCE:

IMPEDANCE:	50 C
FREQ. RANGE:	DC ⁻
VSWR:	1.25:
	1.35
	4

50 OHMS
DC TO 40.0 GHz.
1.25:1 DC TO 18.0 GHz.
1.35:1 18.0 TO 26.5 GHz.
1.50:1 26.5 TO 40.0 GHz.

MATERIAL:	SEE NOTES	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: +1/64 ANGULAR: X° +1°0'	UNLESS OTH
FINISH:	SEE NOTES	X*X' ±15' DECIMAL: .X ±.030 .XX ±.010	1) ALL DIMENSIONS ARE I 2) ALL DIMENSIONS ARE A 3) BREAK CORNERS & ED 4) CHAM. 1ST & LAST THR
SURFACE ARE	^{EA:} N/A	.XXX ±.005	5) SURFACE ROUGHNESS 6) DIA.'S ON COMMON CE WITHIN .005 T.I.R. 7) REMOVE ALL BURRS
	PROPRIETARY	PER ASME Y14.5M - 1994	rynemove nee born to
	ION CONTAINED IN THIS DRAWING	THIRD ANGLE PROJECTION	DRAWN:
ANY REPRODU	CTION IN PART OR AS A WHOLE WRITTEN PERMISSION OF		CHECKED:
	E, INC IS PROHIBITED.		APPROVED:

