





# CUI BASIC PRODUCT DATA DRAWING

REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
-	NRN 46241	09/21	SEE PDM



**MATERIAL:**

BODIES: ALUMINUM ALLOY 7075

SPRING PIN: 420 STAINLESS STEEL


SCREWS & THREADED INSERTS: 18-8 STAINLESS STEEL

- NOTES:**
- MATES TO BACKPLANE MODULE: SF9321-60086 OR 9321-80035.
  - POPULATE WITH ADAPTER CONTACT (1132-6116) OR CABLE CONTACTS (Ø.086 3211-60350 & Ø.047 3211-60351).
  - REMOVAL TOOL FOR Ø.086 AND Ø.047 CABLE CONTACTS: 500-32-044.
  - ADAPTER CONTACT REMOVAL ONLY REQUIRES REMOVAL OF FRONT PLATE PHILIPS HEAD SCREWS.

MATERIAL:	SEE NOTES	DIMENSIONS ARE IN INCHES TOLERANCES:	UNLESS OTHERWISE SPECIFIED	
FINISH:	SEE NOTES	FRACTIONAL: ±1/64 ANGULAR: X° ±1°0' X'X' ±15'	1) ALL DIMENSIONS ARE IN INCHES (MILLIMETERS)	<b>TITLE:</b> VITA 67.3 PLUG-IN MODULE C, 14 PORT, SMPM
SURFACE AREA:	N/A	DECIMAL: X ±.030 .XX ±.010 .XXX ±.005	2) ALL DIMENSIONS ARE AFTER PLATING.	
	<b>PROPRIETARY</b>	INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994	3) BREAK CORNERS & EDGES .005 R. MAX.	<b>SIZE DWG. NO.</b> B 9311-80024
	THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SV MICROWAVE, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SV MICROWAVE, INC IS PROHIBITED.	THIRD ANGLE PROJECTION	4) CHAM. 1ST & LAST THREADS.	SCALE: 4:1
			5) SURFACE ROUGHNESS 63-MIL-STD-10.	SHEET 1 OF 2
			6) DIA: 'S ON COMMON CENTERS TO BE CONCENTRIC WITHIN .005 T.I.R.	
			7) REMOVE ALL BURRS	
			DRAWN: JPM 09/02/21	
			CHECKED: SEE PDM	
			APPROVED: SEE PDM	

# CUI BASIC PRODUCT DATA DRAWING

REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
	SEE SHEET I		SEE PDM



## RECOMMENDED PCB CUTOUT

CONNECTOR LOCATION ON DAUGHTER CARD PCB	
POSITION	DIM 'X'
P2	2.144" [54.46]
P3	3.701" [94.01]
P4	5.035" [127.89]
P5	6.168" [156.67]
P6	7.316" [185.83]

NOTES:  
5. DIMENSIONS WHEN USING 3211-60035 EDGE LAUNCH CONNECTOR.

MATERIAL: SEE NOTES	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: ±1/64 ANGULAR: X° ±1°0' X'X' ±15'	UNLESS OTHERWISE SPECIFIED 1) ALL DIMENSIONS ARE IN INCHES (MILLIMETERS) 2) ALL DIMENSIONS ARE AFTER PLATING. 3) BREAK CORNERS & EDGES .005 R. MAX. 4) CHAM. 1ST & LAST THREADS. 5) SURFACE ROUGHNESS 63-MIL-STD-10. 6) DIA: 'S' ON COMMON CENTERS TO BE CONCENTRIC WITHIN .004 T.I.R. 7) REMOVE ALL BURRS	<b>SV MICROWAVE</b> www.svmicrowave.com
FINISH: SEE NOTES	DECIMAL: X ±.030 .XX ±.010 .XXX ±.005	INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994	TITLE: <b>VITA 67.3 PLUG-IN MODULE C, 14 PORT, SMPM, ALUMINUM</b>
SURFACE AREA: N/A	THIRD ANGLE PROJECTION 	DRAWN: JPM 09/02/21 CHECKED: SEE PDM APPROVED: SEE PDM	SIZE DWG. NO. <b>B 9311-60226</b>
<b>PROPRIETARY</b> THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SV MICROWAVE, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SV MICROWAVE, INC IS PROHIBITED.			SCALE: 5:1 SHEET 2 OF 2