


REVISION HISTORY				
REV	DESCRIPTION	DATE	APPROVED	
	SEE SHEET 1			
			SEE PDM	




RECOMMENDED PCB CUTOUT

CONNECTOR LOCATION ON DAUGHTER CARD PCB					
POSITION	DIM 'X'				
P2	2.144" [54.46]				
P3	3.701" [94.01]				
P4	5.035" [127.89]				
P5	6.168" [156.67]				
P6	7.316" [185.83]				

NOTES:
2. DIMENSIONS WHEN USING 3811-40004 EDGE LAUNCH CONNECTOR & 1138-4001 BULLET.

MATERIAL: FINISH:	SEE NOTES SEE NOTES	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: ±1/64 ANGULAR: X* ±1°0' X*X' ±15' DECIMAL: .X ±.030 .XX ±.010	UNLESS OTHERWISE SPECIFIED 1) ALL DIMENSIONS ARE IN INCHES [MILLIMETERS] 2) ALL DIMENSIONS ARE AFTER PLATING. 3) BREAK CORNERS & EDGES, DOS F. MAX.		MICROWAVE www.svmicrowave.com		
SURFACE AREA: N/A PROPRIETARY		INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994	4) CHAM. 15T & LAST THREADS. 5) SURFACE ROUGHNESS 63-MIL-STD-10. 6) DIA. 'S ON COMMON CENTERS TO BE CONCENTRIC WITHIN .004 T.I.R. 7) REMOVE ALL BURRS		VITA 67.3 PLUG-IN MODULE C, 19 PORT, SMPS		ULE C,
	HE INFORMATION CONTAINED IN THIS DRAWING 5 THE SOLE PROPERTY OF SV MICROWAVE, INC. NY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF V MICROWAVE, INC IS PROHIBITED.	THIRD ANGLE PROJECTION	DRAWN:	SJ 06/20/19		OT OITT, OIVII O	
ANY REPRODU		DUCTION IN PART OR AS A WHOLE	CHECKED:	SEE PDM	SIZE DWG. NO.	SF9311-	-60171
			APPROVED:	SEE PDM	SCALE: 4:1		SHEET 2 OF 3

REVISION HISTORY				
REV	APPROVED			
	SEE SHEET 1			
			SEE PDM	



RECOMMENDED PCB CUTOUT

CONNECTOR LOCATION ON DAUGHTER CARD PCB					
POSITION DIM 'X'					
P2	2.144" [54.46]				
P3	3.701" [94.01]				
P4	5.035" [127.89]				
P5	6.168" [156.67]				
P6	7.316" [185.83]				

NOTES: 3.

DIMENSIONS WHEN USING SF3811-60059 CABLE CONNECTORS WITH Ø.086 FLEXIBLE CABLE. CUTOUT ONLY NECESSARY IF USING CABLE CONNECTORS FOR ROW A (SEE SHEET 1).

MATERIAL: FINISH:	SEE NOTES SEE NOTES	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: ±1/64 ANGULAR: X* ±1*0' X*X' ±15' DECIMAL: .X ±.030	UNLESS OTHERWISE SPECIFIED 1) ALL DIMENSIONS ARE IN INCHES [MILLIMETERS] 2) ALL DIMENSIONS ARE AFTER PLATING. 3) BREAK CORNERS & EDGES. 005 F. MAX.		Amphenol WWW.symicrowave.com		
SURFACE AREA: N/A PROPRIETARY		.XX ±.010 .XXX ±.005 INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994	3) BREAN OWNERS & EUGES JUSTA MAX. 4) CHAM, 1ST & LAST THREADS. 5) SURFACE ROUGHNESS 63, MIL-STD-10. 6) DIA: S ON COMMON CENTERS TO BE CONCENTRIC WITHIN .005 T.I.R. 7) REMOVE ALL BURRS		VITA 67.3 PLUG-IN MODULE C,		
THE INFORMAT	HE INFORMATION CONTAINED IN THIS DRAWING 5 THE SOLE PROPERTY OF SV MICROWAVE, INC. NY REPRODUCTION IN PART OR AS A WHOLE VITHOUT THE WRITTEN PERMISSION OF V MICROWAVE, INC IS PROHIBITED.	THIRD ANGLE PROJECTION	DRAWN:	SJ 06/20/19		9 PORT, SMPS	
ANY REPRODU		ON IN PART OR AS A WHOLE	CHECKED:	SEE PDM	SIZE DWG. NO.	SF9311	-60171
			APPROVED:	SEE PDM	SCALE: 4:1		SHEET 3 OF 3