





PRODUCT DATA DRAWING

REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
-	NRN 47541	06/23	SEE PDM



- MATERIAL:**
- KNOB: PHENOLIC PLASTIC
- SHAFT, TUBE, TIP, SLEEVE, & EXTENSION BAR: STAINLESS STEEL PER AMS 5640, ALLOY UNS S30300, TYPE 1 OR ASTM A582 TYPE 303, CONDITION A.
- COLLET: BERYLLIUM COPPER PER ASTM B196, ALLOY No. UNS C17300, TD04.
- FINGER GRIP: ALUMINUM ALLOY PER AMS-QQ-A-200/8 ALLOY 6061-T6 OR ASTM B211 ALLOY 6061-T6
- COMPRESSION SPRING: MUSIC WIRE
- SPRING PIN: 18-8 STAINLESS STEEL
- FINISH:**
- SHAFT, TUBE, TIP, SLEEVE, & EXTENSION BAR: PASSIVATED PER AMS-2700
- COLLET: NICKEL PER AMS-QQ-N-290, CLASS 1, GRADE G

NOTES:
 1. THIS TOOL INSERTS AND REMOVES THE SEPARABLE VITA 67.3 SMPS BACKPLANE CONTACT INTERFACE.

MATERIAL: SEE NOTES	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: ±1/64 ANGULAR: X° ±1'0" X°X' ±15'	UNLESS OTHERWISE SPECIFIED	 www.svmicrowave.com
FINISH: SEE NOTES	DECIMAL: X ±.030 .XX ±.010 .XXX ±.005	1) ALL DIMENSIONS ARE IN INCHES (MILLIMETERS) 2) ALL DIMENSIONS ARE AFTER PLATING. 3) BREAK CORNERS & EDGES .005 R. MAX. 4) CHAM. 1ST & LAST THREADS. 5) SURFACE ROUGHNESS 63-MIL-STD-10. 6) DIA: 'S ON COMMON CENTERS TO BE CONCENTRIC WITHIN .005 T.I.R. 7) REMOVE ALL BURRS	
SURFACE AREA: N/A	INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994		TITLE: V67.3 SMPS BULLET REMOVAL TOOL
PROPRIETARY THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SV MICROWAVE, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SV MICROWAVE, INC IS PROHIBITED.	THIRD ANGLE PROJECTION	DRAWN: JPM 06/22/23	SIZE DWG. NO. B 500-38-015
		CHECKED: SEE PDM	SCALE: 3:2
		APPROVED: SEE PDM	SHEET 1 OF 1