PRODUCT DATA DRAWING

REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
Α	DCN 58178	2/25	SEE PDM



MATERIAL:

V67.3 SMPS: 3811-60094 U.FL: 8022-40001 200-70-517 .047 CABLE: STRAIN RELIEF: M23053/5

PERFORMANCE:

IMPEDANCE: 50 OHMS DC TO 6.0 GHz. FREQ. RANGE:

MATERIAL:	SEE NOTES
FINISH:	SEE NOTES

SURFACE AREA: N/A

PROPRIETARY

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SV MICROWAVE, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SV MICROWAVE, INC IS PROHIBITED.

DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: ±1/64 ANGULAR: X° ±1°0' X°X' ±15'

DECIMAL: .X ±.030 .XX ±.010 .XXX ±.005

INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994

THIRD ANGLE PROJECTION	DRAW
	CHEC
$\pi^{\tau}\pi^{-} \mp - \mp$	4000

UNLESS OTHERWISE SPECIFIED

1) ALL DIMENSIONS ARE IN INCHES [MILLIMETERS]
2) ALL DIMENSIONS ARE AFTER PLATING,
3) BREAK CORNERS & EDGES .005 R. MAX.
4) CHAM. 1ST & LAST THREADS.
5) SURFACE ROUGHNESS 63-MIL-STD-10.
6) DIA'S ON COMMON CENTERS TO BE CONCENTRIC WITHIN T.I.R.
7) REMOVE ALL BURRS

TION	DRAWN:	JPM 2/25/25
	CHECKED:	SEE PDM
	APPROVED:	SEE PDM



V67.3 SMPS PLUG-IN CONTACT TO U.FL R/A FEMALE .047 CABLE ASSEMBLY

SIZE B	DWG. NO.	7038-7593	
SCALE: 4:1			SHEET 1 OF 1